

SURVEY ITEM & SELF-ASSESSMENT				
SERVICE STANDARD 12B : AMBULATORY CARE SERVICES (OPHTHALMOLOGY SERVICES)				
	<p><b><u>PREAMBLE</u></b></p> <p><i>Ambulatory care is defined as scheduled procedures provided to patients who do not require hospital stay overnight. It is a process of care where suitable patients are managed with admission, treatment and discharge on the same day. Ambulatory care is done for diagnostic and therapeutic procedures which may require topical, local, regional, monitored anaesthetic care or general anaesthesia, with minimal or do not carry risk of post-operative complications but require a period of observation in the Ambulatory Care Centre. Ambulatory care services can be provided as hospital based or stand-alone centres.</i></p> <p><i>There are guidelines to specify which patients can be treated, which procedures and under what form of anaesthesia/sedation can be performed as ambulatory care. The service could also include patients treated and managed in the day care for ophthalmological conditions, diagnostic and interventional procedures.</i></p> <p><i>Ambulatory care centre performing any procedure for the stay of any one patient for a period of not more than 23 hours is provided and from which patients are either discharged in an ambulatory condition without requiring constant or continuous care or supervision and without danger to the continued well-being of the patient or transferred to a hospital. [Reference: Private Healthcare Facilities and Services Act 1998 (Act 586)]</i></p>			
<p><b><u>TOPIC 12B.1:</u></b></p> <p><b><u>STANDARD 12B.1.1</u></b></p>	<p><b><u>ORGANISATION AND MANAGEMENT</u></b></p> <p><i>The Ophthalmology Ambulatory Care Services are organised to provide safe and efficient care for ambulatory patients. The service includes patients treated and managed in the day care for ophthalmological conditions, diagnostic and interventional procedures.</i></p>			
	CRITERIA FOR COMPLIANCE:	SELF RATING	SURVEYOR FINDINGS	
			AREAS FOR IMPROVEMENT / RECOMMENDATIONS & RISK ASSESSMENT	SURVEYOR RATING
12B.1.1.1	Vision, Mission and values statements of the Facility are accessible. Goals and objectives that suit the scope of the Ophthalmology Ambulatory Care Services are clearly documented and measurable that indicates safety, quality and patient centred			

	CRITERIA FOR COMPLIANCE:		SELF RATING	SURVEYOR FINDINGS		
				AREAS FOR IMPROVEMENT / RECOMMENDATIONS & RISK ASSESSMENT	SURVEYOR RATING	
	care. These reflect the roles and aspirations of the service and the needs of the community. These statements are monitored, reviewed and revised as required accordingly and communicated to all staff.					
	EVIDENCE OF COMPLIANCE	1. Vision, Mission and values statements of the Facility are available, endorsed and dated by the Governing Body.				
		2. Goals and objectives of the Ophthalmology Ambulatory Care Services in line with the Facility/Centre's statements are available, endorsed and dated.				
		3. Evidence of planned reviews of the above statements.				
		4. These statements are communicated to all staff (orientation programme, minutes of meeting, etc)				
		5. Achievement of goals and objectives are monitored, reviewed and revised accordingly.				
	Facility Comments:					
12B.1.1.2 CORE	There is an organisation chart which:  a) provides a clear representation of the structure, functions and reporting relationships between the Person In Charge (PIC), Head of the Ambulatory Care Services, consultants, medical practitioners and staff of the Ambulatory Care Services; b) to all staff and clients; c) includes off-site services if applicable; d) is revised when there is a major change in any one of the following:  i) organisation; ii) functions; iii) reporting relationships; iv) staffing patterns.					

	CRITERIA FOR COMPLIANCE:			SELF RATING	SURVEYOR FINDINGS	
					AREAS FOR IMPROVEMENT / RECOMMENDATIONS & RISK ASSESSMENT	SURVEYOR RATING
	EVIDENCE OF COMPLIANCE	1. Clearly delineated current organisation chart with line of functions and reporting relationships between the Person In Charge (PIC), Head of the Ambulatory Care Services, consultants, medical practitioners and staff of the Ambulatory Care Services.				
		2. Organisation chart of the service is endorsed, dated and accessible.				
		3. The organisation chart is revised when there is a major change in any of the items (d)(i) to (iv).				
	Facility Comments:					
12B.1.1.3	The Governing Body shall ensure that Ambulatory Care Services are organised in such a way as to: a) facilitate the provision of ambulatory care services to patients in the Facility in a safe, efficient, effective, and caring manner and with due regard for the needs, dignity and privacy of patients and confidentiality of their personal information; b) assure continuity of care; c) address the professional needs of the medical practitioners; d) ensure that the medical practitioners are involved in the formulation of policies and procedures concerning patient care appropriate to the scope of services of the Facility.					
EVIDENCE OF COMPLIANCE	1. Departmental/Centre-operational policies that address (a) to (d).					
	2. Medical Staff By-Laws					
	3. Evidence of involvement of medical practitioners in the formulation of policies and procedures concerning patient					
	4. Involvement of Head of the Service in the Medical Advisory Committee and service meetings.					
	5. Minutes of meetings					
Facility Comments:						

	CRITERIA FOR COMPLIANCE:			SELF RATING	SURVEYOR FINDINGS		
					AREAS FOR IMPROVEMENT / RECOMMENDATIONS & RISK ASSESSMENT	SURVEYOR RATING	
12B.1.1.4	The Ambulatory Care Services shall adopt a governing framework in accordance with statutory and other legal requirements.						
	EVIDENCE OF COMPLIANCE	1.	License to operate (Private Healthcare Facility)/Gazettement letters and supporting documents (Public Healthcare Facility)				
		2.	Appointment of full time Person In Charge (PIC) in accordance with the Fourth Schedule in Private Healthcare Facilities and Services Act 1998 and Regulations 2006.				
	Facility Comments:						
12B.1.1.5 CORE	The Person In Charge (PIC) of the Ambulatory Care Services (Ophthalmology Services)/Centre has :  a) representation of the Service in relevant committees; b) heads clinical staff meetings; c) provides regular input on the operations of the Services to the Management Team.						
	EVIDENCE OF COMPLIANCE	1.	Letter of appointment and delineation of duties and responsibilities of the Head of the Service/ Centre				
		2.	Letter of appointment and Terms of Reference as member of the Medical Advisory Committee i.e. hospital based service				
		3.	Minutes of meetings of Medical Advisory Committee/Management				
		4.	Letter of appointment for representation in relevant committees, e.g., Operating Theatre Committee and minutes of meetings.				
	Facility Comments:						
12B.1.1.6	Regular staff meetings are held between the Head of Service/Centre and staff with sufficient regularity to discuss issues and matters pertaining to the operations of the Ambulatory Care Services. Minutes are kept; decisions and resolutions made during						

	CRITERIA FOR COMPLIANCE:		SELF RATING	SURVEYOR FINDINGS	
				AREAS FOR IMPROVEMENT / RECOMMENDATIONS & RISK ASSESSMENT	SURVEYOR RATING
	meetings shall be accessible, communicated to all staff of the service and implemented.				
	EVIDENCE OF COMPLIANCE	1. Minutes are accessible, disseminated and acknowledged by the staff.			
		2. Attendance list of members with adequate representatives of the service.			
		3. Frequency of meetings as scheduled.			
		4. Discussion and resolutions are implemented (Problems not solved to be brought forward in the next meeting until resolved).			
	Facility Comments:				
12B.1.1.7	The Head of the Ambulatory Care Services/Centre is involved in the planning, justification and management of the budget and resource utilisation of the services.				
	EVIDENCE OF COMPLIANCE	1. Minutes of Facility-wide management meeting			
		2. Documented evidence on request for allocation of budget and resources (staffing, equipment, etc) for the service.			
		3. Approved budget and resources.			
	Facility Comments:				
12B.1.1.8	The Head of the Ambulatory Care Services/Centre is involved in the appointment and/OR assignment of staff.				
	EVIDENCE OF COMPLIANCE	1. Records on staff interview (if applicable)			
		2. Appointment/assignment letter of Head of Service			
		3. Job description of Head of Service/Centre			
		4. Records on staff deployment			
		5. Duty roster			
	Facility Comments:				
12B.1.1.9	Ambulatory Care Services are provided appropriate to the Facility's scope of medical and surgical services.				

	CRITERIA FOR COMPLIANCE:		SELF RATING	SURVEYOR FINDINGS	
				AREAS FOR IMPROVEMENT / RECOMMENDATIONS & RISK ASSESSMENT	SURVEYOR RATING
	EVIDENCE OF COMPLIANCE	1. List of ambulatory care services provided			
		2. Patient registration records			
	Facility Comments:				
12B.1.1.10	Appropriate statistics and records shall be maintained in relation to the provision of Ambulatory Care Services and used for managing the services and patient care purposes.				
	EVIDENCE OF COMPLIANCE	1. Records are available but not limited to the following:			
		a) workload/census;			
		b) annual report;			
		c) accident/incident reports;			
		d) staffing number and staff profile;			
		e) staff training records;			
		f) data on performance improvement activities, including performance indicators.			
	Facility Comments:				
12B.1.1.11	Appropriate records are maintained by the Ambulatory Care Services/Centre which are adequate for clinical, medicolegal, and evaluation purposes and include the following:				
	a) a record of medical practitioners conferred the privileges of performing specific procedures is available and accessible to all staff				
	b) a register of operations/procedures performed within the Ambulatory Care Services/Centre is maintained;				
	c) a record of the procedure performed is filed in the patient's medical record;				
	d) standard drug administration records are maintained and regulations relating to the control of drugs are followed;				

	CRITERIA FOR COMPLIANCE:	SELF RATING	SURVEYOR FINDINGS		
			AREAS FOR IMPROVEMENT / RECOMMENDATIONS & RISK ASSESSMENT	SURVEYOR RATING	
	e) documented evidence of the counting of accountable items used in the procedures (including operating theatre) and a copy of this is included in the patient's medical record.				
	EVIDENCE OF COMPLIANCE	1. Records maintained by Ambulatory Care Services include (a) to (e)			
		2. Privileges of clinical staff performing specific procedures is available at point of care.			
		3. Record of the procedure performed and documented in the patient's medical record details the following:			
		a) procedure performed;			
		b) date and time;			
		c) type of anaesthesia;			
		d) personnel involved in the procedure;			
		e) findings;			
		f) record of accountable items used in operating theatre;			
		g) the dressings applied and drainage systems inserted (where applicable);			
		h) postoperative orders;			
		i) discharge and follow up notes.			
	Facility Comments:				

SURVEY ITEM & SELF-ASSESSMENT					
<b>STANDARD</b> <b>12B.1.2</b>	<b>Where external services are used to assist in the operations of the Facility, these contracted or referral services shall meet the MSQH Standards of Accreditation.</b>				
	<b>CRITERIA FOR COMPLIANCE:</b>		<b>SELF RATING</b>	<b>SURVEYOR FINDINGS</b>	
				<b>AREAS FOR IMPROVEMENT / RECOMMENDATIONS &amp; RISK ASSESSMENT</b>	<b>SURVEYOR RATING</b>
12B.1.2.1	There are written agreements on the appointment and provision of external services to the Facility, which include the following:  a) The services shall meet all patient and environmental safety standards contained in the MSQH Standards of Accreditation, regardless of where the activities occur, on-site and off-site. b) There is documentation on the external aspects of the services which refer to: i) specification of formal lines of communication and responsibility between the external source provider and the Facility; ii) provision of services by personnel appropriately qualified to perform their duties; iii) adequate pick-up and delivery arrangements; iv) appropriate participation of the external service provider in committees of the Facility where applicable; v) arrangements for after-hours and emergency services; vi) quality control of the external services including involvement in safety and performance improvement activities of the Facility, as appropriate; vii) procedures for identifying and rectifying problems in the delivery of the services; viii) adequacy of facilities and equipment for the services being provided at both the Facility and the site of the external services; ix) personnel provided by the external services who shall be bound by the rules and regulations applicable to the staff of the Facility.				
	EVIDENCE OF COMPLIANCE	1. Service contracts have appropriate terms and conditions as in (a) and (b) including:			
		a) date and duration of contract;			
		b) system for quality control of outsourced services (visit to off-site services, recognised certification, etc);			
		c) procedures for managing shortfall in service;			



	CRITERIA FOR COMPLIANCE:			SELF RATING	SURVEYOR FINDINGS	
					AREAS FOR IMPROVEMENT / RECOMMENDATIONS & RISK ASSESSMENT	SURVEYOR RATING
		d) Involvement in performance measurement of the relevant services provided to the Facility.				
	Facility Comments:					

SURVEY ITEM & SELF-ASSESSMENT														
<u>TOPIC 12B.2</u>	<u>HUMAN RESOURCE DEVELOPMENT AND MANAGEMENT</u>													
<u>STANDARD 12B.2.1</u>	<i>The Ophthalmology Ambulatory Care Services shall be directed by a qualified and competent National Specialist Register (NSR) registered ophthalmologist and staffed by suitably qualified and competent clinical staff to achieve the goals and objectives of the services. Staff of the services have access to appropriate education programmes to maintain and improve their knowledge and skills.</i>													
	CRITERIA FOR COMPLIANCE:	SELF RATING	SURVEYOR FINDINGS											
			AREAS FOR IMPROVEMENT / RECOMMENDATIONS & RISK ASSESSMENT	SURVEYOR RATING										
12B.2.1.1	<div>The Head and staff of the Ophthalmology Ambulatory Care Services/Centre shall be individuals qualified by education, training, experience and certification to commensurate the requirements of the various positions. The appointment of Head and staff of the Ophthalmology Ambulatory Care Services/Centre shall conform to the statutory requirements.</div> <table><tr><td rowspan="3">EVIDENCE OF COMPLIANCE</td><td>1. Records on credentials of Head of Service and staff required to fill up the posts within the service (to match the complexity of the Facility and services) and certification/registration.</td><td></td></tr><tr><td>2. Appointment/assignment letter</td><td></td></tr><tr><td>3. Training and competency records</td><td></td></tr><tr><td colspan="3">Facility Comments:</td></tr></table>	EVIDENCE OF COMPLIANCE	1. Records on credentials of Head of Service and staff required to fill up the posts within the service (to match the complexity of the Facility and services) and certification/registration.		2. Appointment/assignment letter		3. Training and competency records		Facility Comments:					
EVIDENCE OF COMPLIANCE	1. Records on credentials of Head of Service and staff required to fill up the posts within the service (to match the complexity of the Facility and services) and certification/registration.													
	2. Appointment/assignment letter													
	3. Training and competency records													
Facility Comments:														
12B.2.1.2	<div>There is documented evidence of appropriate training and competency for the granting of clinical privileging. The criteria for determining privileges are specified and documented. There is a structured process to ensure the stated criteria are uniformly applied to all applicants. These include:</div> <div><div>a) the criteria are designed to assure that patients will receive safe and quality care;</div><div>b) the criteria for individual procedures are documented in detail; e.g. competency records/log books, application from the individual practitioner, recommendations from peer/referee and minutes of meeting;</div><div>c) competency for each performance is dated, verified and signed by the supervisors;</div></div>													

	CRITERIA FOR COMPLIANCE:		SELF RATING	SURVEYOR FINDINGS		
				AREAS FOR IMPROVEMENT / RECOMMENDATIONS & RISK ASSESSMENT	SURVEYOR RATING	
	d) the period of time (two years and when as needed) for which the privileges are to be granted is specified; e) current registration with the local professional registration bodies, e.g. Malaysian Medical Council, National Specialist Register (NSR), Nursing Board, Medical Assistant Board, Malaysian Optical Council, Pharmacy Board; f) peer recommendations are taken into account when privileges are being considered; g) the recommendations of the relevant department and/or major professional services for privileges to be granted are taken into consideration.					
	EVIDENCE OF COMPLIANCE	1. Documented policies and procedures are established to govern the credentialing and privileging processes which include items (a) to (g).				
		2. Compliance with policy and criteria for credentialing and privileging				
		3. Annual Practising Certificate (APC), National Specialist Register (NSR) certificates and privileging certificates.				
		4. Recommendations from peer/referee				
		5. Availability of the list of procedures requiring credentialing and privileging.				
		6. Availability of list of procedures to include core procedures specific to the disciplines performed by medical officers; competency records/log books.				
	Facility Comments:					
12B.2.1.3	The authority, responsibilities and accountabilities of the Head of Ophthalmology Ambulatory Care Services/Centre are clearly delineated and documented.					
	EVIDENCE OF COMPLIANCE	1. Appointment/assignment letter for Head of Service.				
		2. Description of duties and responsibilities				
	Facility Comments:					

	CRITERIA FOR COMPLIANCE:	SELF RATING	SURVEYOR FINDINGS		
			AREAS FOR IMPROVEMENT / RECOMMENDATIONS & RISK ASSESSMENT	SURVEYOR RATING	
12B.2.1.4	Sufficient numbers of personnel and support staff with appropriate qualifications are employed to meet the need of the services and commensurate with the number of ophthalmologists and patients.				
	There shall be minimum one (1) nurse to four (4) patients at all times in pre-operative and recovery bay.				
	There shall be minimum two (2) registered nurses in one (1) operating room, including at least one (1) post basic ophthalmology trained nurse in each operating room. The number of nurses shall be commensurate with the number of operating rooms.				
	EVIDENCE OF COMPLIANCE	1. Number of staff and qualification should commensurate with workload.			
		2. Staffing pattern			
		3. Duty roster			
		4. Census and statistics			
Facility Comments:					
12B.2.1.5	There are written and dated specific job descriptions for all categories of staff that include:				
	a) qualifications, training, experience and certification required for the position;				
	b) lines of authority;				
	c) accountability, functions and responsibilities;				
	d) reviewed when required and when there is a major change in one of the following:				
	i) nature and scope of work;				
	ii) duties and responsibilities;				
	iii) general and specific accountabilities;				
	iv) qualifications required and privileges granted;				
	v) staffing patterns;				
	vi) Statutory Regulations.				
	e) administrative and clinical functions.				

	CRITERIA FOR COMPLIANCE:			SELF RATING	SURVEYOR FINDINGS		
					AREAS FOR IMPROVEMENT / RECOMMENDATIONS & RISK ASSESSMENT	SURVEYOR RATING	
	EVIDENCE OF COMPLIANCE	1.	Updated specific job description is available for each staff that includes but not limited to as listed in (a) to (e).				
		2.	Job description includes specialisation skills				
		3.	Relevant privileges granted where applicable				
		4.	The job description is acknowledged by the staff and signed by the Head of Service and dated.				
	Facility Comments:						
12B.2.1.6 CORE	Clinical staff performs within the privileges conferred						
	EVIDENCE OF COMPLIANCE	1.	Verification of procedures e.g. phacoemulsification, etc performed by individual at point of care within the awarded privileging rights with evidence of:				
		a)	list of procedures privileged;				
		b)	clinical notes.				
	Facility Comments:						
12B.2.1.7	Personnel records on training, staff development, leave and others are maintained for every staff. <b>Note:</b> Staff personal record may be kept in Human Resource Department as per Facility policy.						
	EVIDENCE OF COMPLIANCE	1.	Staff personal records include:				
		a)	staff biodata;				
		b)	qualification and experience;				
		c)	evidence of current registration;				
		d)	training record;				
		e)	competency record and privileging;				
		f)	leave record;				
		g)	confidentiality agreement.				
	Facility Comments:						

	CRITERIA FOR COMPLIANCE:		SELF RATING	SURVEYOR FINDINGS				
				AREAS FOR IMPROVEMENT / RECOMMENDATIONS & RISK ASSESSMENT	SURVEYOR RATING			
12B.2.1.8	There is a structured orientation programme for all newly appointed staff to the Ophthalmology Ambulatory Care Services/Centre including medical practitioners and for those new to specific areas that include the following: a) explanation of the goals, objectives, policies and procedures of the Facility and those of the Ophthalmology Ambulatory Care Service/Centre; b) lines of authority and areas of responsibility; c) explanation of particular duties and functions; d) explanation of the methods of assigning clinical care and the standards of clinical practice; e) handover communication; f) processes for resolving practice dilemmas; g) information about safety procedures; h) training in basic/advanced life support techniques; i) methods of obtaining appropriate resource materials; j) staff appraisal procedures for the Ophthalmology Ambulatory Care Services/Centre; k) education on WHO and Malaysian Patient Safety Goals (where applicable); l) education on Patient and Family Rights; m) education on MSQH Standards requirements.							
	EVIDENCE OF COMPLIANCE	1. Policy requiring all new staff to attend a structured orientation programme.						
		2. There is Ophthalmology Ambulatory Care Services/Centre orientation programme with relevant topics not limited to topics covered from (a) to (m).						
		3. Attendance list						
	Facility Comments:							
12B.2.1.9	There are continuing education activities for staff including medical practitioners to pursue professional interests and to prepare for current and future changes in practice.							
	EVIDENCE OF COMPLIANCE	1. Training calendar includes in-house/external courses/workshop/conferences						
		2. Contents of training programme						
		3. Training records on continuing education activities are kept and maintained for each staff including training in life support.						

	CRITERIA FOR COMPLIANCE:			SELF RATING	SURVEYOR FINDINGS	
					AREAS FOR IMPROVEMENT / RECOMMENDATIONS & RISK ASSESSMENT	SURVEYOR RATING
	4. Certificate of attendance/degree/post basic training					
	Facility Comments:					
12B.2.1.10	There is evidence of training needs assessment (example based on incidents and accidents that had occurred, complaints, patients' feedback, etc) and staff development plan which provides the knowledge and skills required for staff to maintain competency in their current positions and future advancement.					
	EVIDENCE OF COMPLIANCE	1. Training needs assessment is carried out and gaps identified.				
		2. A staff development plan based on training needs assessment is available.				
		3. Training schedule/calendar is in place.				
		4. Training module				
	Facility Comments:					
12B.2.1.11	There are continuing education activities for staff including medical practitioners to pursue professional interests and to prepare for current and future changes in practice.					
	EVIDENCE OF COMPLIANCE	1. Training calendar includes in-house/external courses/workshop/conferences				
		2. Contents of training programme				
		3. Training records on continuing education activities are kept and maintained for each staff including training in life support.				
		4. Certificate of attendance/degree/post basic training				
	Facility Comments:					
12B.2.1.12	Medical practitioners (including consultants, specialists and medical officer) and staff receive evaluation of their performance at the completion of the probationary period and annually thereafter, or as defined by the Facility.					

	CRITERIA FOR COMPLIANCE:			SELF RATING	SURVEYOR FINDINGS	
					AREAS FOR IMPROVEMENT / RECOMMENDATIONS & RISK ASSESSMENT	SURVEYOR RATING
	EVIDENCE OF COMPLIANCE	1. Performance appraisal for medical practitioners (including consultants, specialists and medical officer) and staff is completed upon probationary period and as an annual exercise.				
	Facility Comments:					



SURVEY ITEM & SELF-ASSESSMENT								
<b>TOPIC 12B.3:</b>		<b><u>POLICIES AND PROCEDURES</u></b>						
<b>STANDARD</b> <b><u>12B.3.1</u></b>		<i>Documented policies and procedures shall reflect the complexity of the services and commensurate with the current knowledge and evidence based practice for the ophthalmology ambulatory care services, and they are consistent with statutory requirements and the goals and objectives of the Ophthalmology Ambulatory Care Services/Centre.</i>						
	<b>CRITERIA FOR COMPLIANCE:</b>		<b>SELF RATING</b>	<b>SURVEYOR FINDINGS</b>				
				<b>AREAS FOR IMPROVEMENT / RECOMMENDATIONS &amp; RISK ASSESSMENT</b>	<b>SURVEYOR RATING</b>			
12B.3.1.1 <b>CORE</b>	There are written policies and procedures for the Ophthalmology Ambulatory Care Services which are consistent with the overall policies of the Facility, regulatory requirements, current standard practices and clinical practice guidelines. These policies and procedures are signed, authorised and dated. There is a mechanism for and evidence of a periodic review at least once in every three years.							
	EVIDENCE OF COMPLIANCE	1. Documented policies and procedures for the service.						
		2. Policies and procedures are consistent with the regulatory requirements and current standard practices.						
		3. Evidence of periodic review of policies and procedures.						
		4. The policies and procedures are endorsed and dated.						
	Facility Comments:							
12B.3.1.2	Policies and procedures are developed by a committee in collaboration with staff, medical practitioners, Management and where required with other external service providers and with reference to relevant sources involved.							
	EVIDENCE OF COMPLIANCE	1. Minutes of committee meetings on development and revision on policies and procedures.						
		2. Minutes of meeting with evidence of cross reference with other departments/Centre						
		3. Documented cross departmental/centre policies						
	Facility Comments:							
12B.3.1.3	Current policies and procedures are communicated to all staff.							

	CRITERIA FOR COMPLIANCE:			SELF RATING	SURVEYOR FINDINGS	
					AREAS FOR IMPROVEMENT / RECOMMENDATIONS & RISK ASSESSMENT	SURVEYOR RATING
	EVIDENCE OF COMPLIANCE	1. Training and briefing on the current policies and procedures/Minutes of meetings				
		2. Circulation list and acknowledgement				
	Facility Comments:					
12B.3.1.4 CORE	There is evidence of compliance with policies and procedures.					
	EVIDENCE OF COMPLIANCE	1. Compliance with policies and procedures through:				
		a) interview of staff on practices;				
		b) verify with observation on practices;				
		c) results of audit on practices;				
		d) practices in line with established policies and procedures.				
	Facility Comments:					
12B.3.1.5	Copies of policies and procedures, protocols, guidelines, relevant Acts, Regulations, By-Laws and statutory requirements are accessible to staff.					
	EVIDENCE OF COMPLIANCE	1. Copies of relevant policies and procedures, protocols, guidelines, relevant Acts, Regulations, By-Laws and statutory requirements are accessible on-site for staff reference.				
	Facility Comments:					

	CRITERIA FOR COMPLIANCE:	SELF RATING	SURVEYOR FINDINGS	
			AREAS FOR IMPROVEMENT / RECOMMENDATIONS & RISK ASSESSMENT	SURVEYOR RATING
12B.3.1.6 CORE	There are documented policies of a planned systematic approach to the provision of ambulatory patient care. These include:			
	<ul style="list-style-type: none"> <li>a) criteria for selection and assessment of cases (refer to Day Care Surgery Standards Operating Procedure and Protocol for Day Care Anaesthesia, Ministry of Health);</li> <li>b) policy on the use of sedation during procedures;</li> <li>c) documented admission policies including age or disease limitations and the restrictions concerning the scope of clinical services offered;</li> <li>d) the booking and admission of patients comply with admission policies;</li> <li>e) essential information on the service is given to all patients;;</li> <li>f) the requirements for a pre-anaesthetic assessment to be performed by a medical practitioner (ophthalmologist, anaesthetist, medical officer trained in anaesthesiology/ophthalmology);</li> <li>g) patient identification, with the nature and site of the procedure marked and verified by the surgeon and the consent documents checked;</li> <li>h) observations of the patient's pre-, intra- ,and post-procedure status and vital signs are monitored and recorded in the medical record;</li> <li>i) pain management;</li> <li>j) a dedicated anaesthetist is present or readily available until all patients who have undergone general anaesthesia/deep sedation are discharged;</li> <li>k) the discharge procedure ensures the patient is given relevant documented postoperative instructions.</li> <li>l) there is a responsible person/family members accompanying the discharged patient undergone the procedures under general anaesthesia. The address and phone number of the discharge person/family members are recorded in the medical record</li> </ul>			
	<div>EVIDENCE OF COMPLIANCE</div> <div>1. Documented policies that address (a) to (l).</div>			
	Facility Comments:			

	CRITERIA FOR COMPLIANCE:	SELF RATING	SURVEYOR FINDINGS		
			AREAS FOR IMPROVEMENT / RECOMMENDATIONS & RISK ASSESSMENT	SURVEYOR RATING	
12B.3.1.7	A registered medical practitioner (RMP) shall be trained to carry out procedural sedation. When performed by non-anaesthesiologists, the level of sedation should be kept at minimal to moderate. Deep sedation should ONLY be done in the presence of an anaesthesiologist throughout the procedure.				
	EVIDENCE OF COMPLIANCE	1. Credential and privileging of registered medical practitioner carry out procedural sedation.			
		2. Policy on management of deep sedation.			
		3. Anaesthesiologist is present throughout the deep sedation procedure as observed during survey on site.			
	Facility Comments:				
12B.3.1.8	All patients and their relatives shall be given essential information pertaining to the procedure which include: a) the patient's pre-admission responsibilities and preparation; b) the functioning of the Ophthalmology Ambulatory Care Services; c) type of anaesthesia and post anaesthetic effects; d) provision for after-hours contact and emergency care; e) the patient's post-discharge responsibilities/instructions; f) follow-up instruction.				
	EVIDENCE OF COMPLIANCE	1. Patient information pamphlet			
		2. Relevant contact number for any emergency care			
		3. Patients and relatives given adequate information on the procedure carried out as evidenced as in medical records:			
		a) pre and post-operative checklist;			
		b) written post-operative instructions;			
		c) written follow up instruction			
	Facility Comments:				

	CRITERIA FOR COMPLIANCE:	SELF RATING	SURVEYOR FINDINGS		
			AREAS FOR IMPROVEMENT / RECOMMENDATIONS & RISK ASSESSMENT	SURVEYOR RATING	
12B.3.1.9	The policies and procedures for management of emergency patients shall include arrangement for transfer of patients, where necessary.				
	EVIDENCE OF COMPLIANCE	1. Policies and procedures on management of emergency patients include:			
		b) patient transfer;			
		c) referral details including notes on patient's medical history.			
		2. Verification on compliance as per patient notes on transfer arrangement.			
		3. Policy on Code Blue			
	Facility Comments:				
12B.3.1.10	The Ophthalmology Ambulatory Care Services/Centre shall have a written transfer agreement/Memorandum of Understanding (MOU) with any hospital (preferable nearest hospital) whereby all registered medical practitioners performing procedure or surgery in the Ambulatory Care Centre shall have admitting privileges at such hospital. When transferring a patient to a hospital on an emergency basis, the Facility shall submit to the receiving hospital at the time of transfer a copy of all the medical records related to the patient's condition including observations of the patient's signs and symptoms, preliminary diagnosis, treatment provided, results of any tests and a copy of the informed written consent.				
	EVIDENCE OF COMPLIANCE	1. Memorandum of Understanding (MoU) with nearby healthcare facility in management of emergency events/ written transfer agreement with hospital			
		2. Copy of referral letter is available.			
		3. Contents in the referral letter are appropriately written and includes acceptance of the patient by the referred facility, name of receiving person.			
	Facility Comments:				
12B.3.1.11	There are policies and procedures for the Theatre Sterilising Supply Unit (TSSU). The policies and procedures shall include the following:				

	CRITERIA FOR COMPLIANCE:		SELF RATING	SURVEYOR FINDINGS		
				AREAS FOR IMPROVEMENT / RECOMMENDATIONS & RISK ASSESSMENT	SURVEYOR RATING	
CORE	a) receiving and decontamination processes (disassembling, washing, cleaning and disinfection); b) packaging process (inspection, functionality check and packing); c) sterilisation process; d) validation processes; e) sterile storage and distribution; f) traceability and product recall; g) services provided to other healthcare facilities; h) environmental control (storage condition, effective maintenance of sterility); i) shelf life of sterile items appropriate to utilisation (turnover time); j) safety practices in TSSU ; k) utilisation of “flash” autoclave in operating theatre and clinics.					
	EVIDENCE OF COMPLIANCE	1. Policies and procedures that address TSSU processes but not limited to items (a) to (k) are available.				
	Facility Comments:					
12B.3.1.12	There shall be no reprocessing of any single-use medical-surgical instruments, equipment or supplies.					
	EVIDENCE OF COMPLIANCE	1. Policy on ‘No reprocessing’ of any single-use medical-surgical instruments, equipment or supplies.				
		2. Compliance with ‘No reprocessing’ policy.				
	Facility Comments:					
12B.3.1.13	Records for all activities in the processing of sterile items shall be maintained for a period of time as defined by respective regulatory authorities or in their absence as per policy of the healthcare facility.					
	EVIDENCE OF COMPLIANCE	1. Daily production statistics to assess stock (e.g. medical-surgical instruments, equipment or supplies) levels for safe, continuous service, efficient stock and cost control.				
		2. All tests performed on equipment and results.				

	CRITERIA FOR COMPLIANCE:			SELF RATING	SURVEYOR FINDINGS	
					AREAS FOR IMPROVEMENT / RECOMMENDATIONS & RISK ASSESSMENT	SURVEYOR RATING
		3. Steriliser records, e.g. number of cycles				
	Facility Comments:					

SURVEY ITEM & SELF-ASSESSMENT	
<b>STANDARD</b> <b>12B.3.2</b>	<b><i>Patient &amp; Family Rights</i></b> <b><i>The Ophthalmology Ambulatory Care Services is responsible for providing processes that support patient and family rights from the point of accessing care.</i></b>

	CRITERIA FOR COMPLIANCE:	SELF RATING	SURVEYOR FINDINGS	
			AREAS FOR IMPROVEMENT / RECOMMENDATIONS & RISK ASSESSMENT	SURVEYOR RATING
12B.3.2.1	<p>The Facility's Management, medical practitioners and other clinical and Allied Health staff work collaboratively to protect and promote Patient and Family Rights. There is documented Patient and Family Rights Policy as identified in relevant laws and regulations that include, but are not limited to:</p> <ul style="list-style-type: none"> <li>a) access to information on all services provided by the Facility/Centre;</li> <li>b) access to safe and medically appropriate treatment regardless of race, culture, sex, nationality, or source of payment;</li> <li>c) access to an interpreter if language barrier exists;</li> <li>d) considerate, respectful, privacy and confidential medical care;</li> <li>e) information of the identity of the medical practitioner and other care givers;</li> <li>f) reasonable information to patient and next of kin about investigations, diagnosis, treatment and prognosis, including after discharge care and continuity of care and the right to second opinion;</li> <li>g) participation in making informed decisions concerning care including the right to refuse proposed treatment, experimental care, participation in research projects and the right to leave the Facility/Centre against medical advice;</li> <li>h) appropriate counseling prior to being granted discharge from the Facility/Centre against medical advice;</li> <li>i) information of applicable and relevant the Facility/Centre's rules and policies;</li> <li>j) administration of pain management where appropriate;</li> <li>k) advice on the approximate cost of treatment prior to the provision of care;</li> <li>l) information regarding financial and other assistance that may be available;</li> <li>m) receipt and examination of an itemised statement of all charges;</li> <li>n) information of the responsibilities of patients and families;</li> <li>o) access to health promotion information to facilitate their treatment in the Facility/Centre;</li> </ul>			



	CRITERIA FOR COMPLIANCE:	SELF RATING	SURVEYOR FINDINGS	
			AREAS FOR IMPROVEMENT / RECOMMENDATIONS & RISK ASSESSMENT	SURVEYOR RATING
	p) access to information on quality and performance improvement in the Facility/Centre; q) provision of relevant information on the procurement, donation process and transplantation process where necessary.			
	EVIDENCE OF COMPLIANCE 1. There is documented Patient and Family Rights Policy as identified in the relevant laws and regulations that address items (a) to (q).			
	2. Compliance with the Patient and Family Rights Policy as observed on site.			
	Facility Comments:			
12B.3.2.2	There is a process designed to identify and respect patient's personal values, beliefs and religion and where applicable those of the patient's family.			
	EVIDENCE OF COMPLIANCE 1. Patient's religion and beliefs are identified			
	2. Orientation checklist addresses the needs of the patient.			
	Facility Comments:			
12B.3.2.3	The Facility/Centre takes measures to protect patient's possessions from theft or loss. The Facility/Centre has a policy that indicates its responsibility for patient's possessions and a system to ensure this policy is complied with.			
	EVIDENCE OF COMPLIANCE 1. Policy on patients possessions and records			
	2. On-site observation on compliance with the above policy.			
	Facility Comments:			

	CRITERIA FOR COMPLIANCE:	SELF RATING	SURVEYOR FINDINGS		
			AREAS FOR IMPROVEMENT / RECOMMENDATIONS & RISK ASSESSMENT	SURVEYOR RATING	
12B.3.2.4	The Facility/Centre has a policy on risk identification and implementation of safety measures to protect patients from injury.				
	EVIDENCE OF COMPLIANCE	1. Policy on risk identification			
		2. Risk identification strategies, e.g. security guard, closed-circuit television (CCTV), fall prevention.			
	Facility Comments:				
12B.3.2.5	The Facility/Centre ensures patient health information as confidential.				
	EVIDENCE OF COMPLIANCE	1. Policy on safeguarding of patient information			
		2. Policy on release of patient's medical record.			
		3. Code of conduct of medical records staff			
		4. The following systems as observed on site:			
		a) Secured health information system with restricted access levels			
		b) Restricted access to Medical Records Unit			
		c) System for recording and monitoring movement of medical records.			
	Facility Comments:				
12B.3.2.6	Patients are informed of their rights to voice their complaints and the grievance mechanism.				
	EVIDENCE OF COMPLIANCE	1. Policy on grievance mechanism			
		2. Patient orientation checklist			
		3. Patient Charter			
		4. Brochure on Patient and Family Rights			
	Facility Comments:				

SURVEY ITEM & SELF-ASSESSMENT				
<b>STANDARD</b> <b>12B.3.3</b>	<b>Health Information Management System</b>  <i>The Ophthalmology Ambulatory Care Services shall have an appropriate patient's medical record system comprising of facilities, procedures and organisation for keeping patient's medical records. The Health Information Management System (HIMS) shall be organised to ensure confidentiality*, safe keeping and easy retrieval of medical records and documents both paper based and electronic related to patient care.</i>  <i>An accurate patient's medical record is maintained to facilitate optimal patient care and allow for evaluation of the care provided.</i>  <i>*Personal Data Protection Act , PDPA 2013</i>			

	CRITERIA FOR COMPLIANCE:	SELF RATING	SURVEYOR FINDINGS		
			AREAS FOR IMPROVEMENT / RECOMMENDATIONS & RISK ASSESSMENT	SURVEYOR RATING	
12B.3.3.1	A single record for every patient is maintained with integrated recording system by healthcare providers.				
	A single record is a record that is a composite of all data on a given patient. Their entire medical record is in one folder under one medical record reference number.				
	Integrated record is a system of joint recording by various healthcare providers who record information around the patient (patient based) according to sequence of events.				
	EVIDENCE OF COMPLIANCE	1. A single record system is implemented.			
		2. Integrated records are practiced.			
Facility Comments:					
12B.3.3.2	There is a system for patient identification, cross referencing and a filing system that allows rapid retrieval of records.				

	EVIDENCE OF COMPLIANCE	1. Policies and procedures for patient identification, cross referencing and a filing system that allows rapid retrieval of records.				
	Facility Comments:					
12B.3.3.3	There is a policy for safeguarding the information in the record against breach of confidentiality, loss, damage, or use by unauthorised personnel.					
	There are policies and procedures on information storage and recovery including procedures for data recovery in case of malfunctions or disaster.					
	EVIDENCE OF COMPLIANCE	1. Policy for safeguarding the information in the record against breach of confidentiality, loss, damage, or use by unauthorised personnel is in place.				
		2. Guidelines for management of medical records, electronic information system security and user access control policies (paper based and electronic information systems).				
		3. Mechanisms are in place to support Facility/Centre -wide and HIMS functions even in case of unexpected failure or				
12B.3.3.4	Facility Comments:					
	Informed consent is obtained before surgery, anaesthesia, and other high risk treatment and procedures, and the information given shall be documented in the medical records.					
	The informed consent shall be obtained by the medical practitioner performing the procedure.					
	EVIDENCE OF COMPLIANCE	1. Signed consent forms. (The procedure is only performed after the consent taken.)				
		2. Evidence of documentation in medical records (explanation given at the time of taking consent)				
	Facility Comments:					

12B.3.3.5	<p>The medical practitioner records the preoperative diagnosis and there is an operative report immediately after surgery, including:</p> <ul style="list-style-type: none"> <li>a) date, time and duration;</li> <li>b) description of the findings;</li> <li>c) the procedure performed;</li> <li>d) tissue removed;</li> <li>e) tissue sent for pathological examination;</li> <li>f) preoperative and postoperative diagnosis;</li> <li>g) postoperative instructions;</li> <li>h) surgeon's name and signature including name of assistant where applicable.</li> </ul>			
EVIDENCE OF COMPLIANCE	<p>1. Sampling of medical records to verify operative report addressing items (a) to (h).</p>			
	Facility Comments:			
12B.3.3.6	<p>The patient's medical record contains information particularly relating to anaesthesia including:</p> <ul style="list-style-type: none"> <li>a) date, time and duration;</li> <li>b) informed consent of anaesthesia;</li> <li>c) evidence of a preoperative assessment by an anaesthetist, preferably by the attending anaesthetist;</li> <li>d) drugs and doses given during anaesthesia and route of administration;</li> <li>e) monitoring data;</li> <li>f) intravenous fluid therapy, if given;</li> <li>g) post anaesthetic instructions, where appropriate;</li> <li>h) name and signature of attending anaesthetist.</li> </ul>			
EVIDENCE OF COMPLIANCE	<p>1. Samplings of medical records and verify the notes containing anaesthetic report addressing items (a) to (h).</p>			
	Facility Comments:			
12B.3.3.7	<p>There is a policy on the retention of medical records and there are guidelines on the appropriate storage of active and inactive records. Records shall be preserved at least</p>			

	for the period as specified under the written law pertaining to limitation period (e.g. Statute of Limitation, National Archives Policy).					
	EVIDENCE OF COMPLIANCE	1. Policy and guidelines on the retention of medical records.				
		2. Records on medical records disposal				
		3. On-site observation on storage of medical records				
	Facility Comments:					

SURVEY ITEM & SELF-ASSESSMENT	
<b>STANDARD</b> <b>12B.3.4</b>	<b>PREVENTION AND CONTROL OF INFECTION</b>  <i>The Facility designs and implements a coordinated programme to reduce the risks of Facility acquired infections in patients and staff. Responsibility for infection control is undertaken by the Person In Charge.</i>

	CRITERIA FOR COMPLIANCE:	SELF RATING	SURVEYOR FINDINGS		
			AREAS FOR IMPROVEMENT / RECOMMENDATIONS & RISK ASSESSMENT	SURVEYOR RATING	
12B.3.4.1	A designated staff who has training in prevention and control of infection shall oversee all prevention and control of infection measures in the Centre. The staff in-charge has delegated authority for the supervision and effective implementation of infection control policies, and is responsible for surveillance of healthcare associated infections on a systematic and current basis.				
	EVIDENCE OF COMPLIANCE	1. Designated nurse with training in prevention and control of infection oversee the prevention and control infection measures.			
		2. Surveillance reports and records			
		3. Environmental inspection records			
		4. On-site training records conducted by staff in-charge			
	Facility Comments:				
12B.3.4.2	There are safety measures taken to ensure the protection of the Facility's staff and environment against healthcare associated infections. Records shall be kept on action taken which include:  a) staff education; b) staff health screening including infectious diseases; c) staff immunisation; d) staff health record maintenance; e) provision for adequate and good quality personal protective equipment (PPE); f) implementation of safety devices; g) clinical waste management; h) environmental infection risk;				

	CRITERIA FOR COMPLIANCE:		SELF RATING	SURVEYOR FINDINGS	
				AREAS FOR IMPROVEMENT / RECOMMENDATIONS & RISK ASSESSMENT	SURVEYOR RATING
	i) protocol for post-exposure management for infectious disease and for assignment of infected staff.				
	EVIDENCE OF COMPLIANCE	1. Where appropriate, records are kept on actions taken which include items (a) to (i).			
	Facility Comments:				
12B.3.4.3	Provision is made for the personal comfort and safety of patients and staff which include: a) clean and hygienic facilities; b) room temperatures are kept at comfortable levels; c) disinfection and sterilisation areas; safe equipment and instruments; d) proper hand hygiene facilities; e) aseptic techniques for procedures; f) practice of standard and additional precautions.				
	EVIDENCE OF COMPLIANCE	1. There is evidence of items (a) to (f) being implemented.			
	Facility Comments:				
12B.3.4.4	There are written infection control policies and procedures relevant to the scope of services, complexity of the Facility and level of risks consistent with national and international requirements. There is evidence of compliance with policies and procedures and evidence based guidelines (World Health Organization/Centers for Disease Control and Prevention/Ministry of Health).				
	EVIDENCE OF COMPLIANCE	1. On-site observation for Infection control practices			
		2. Audit reports on infection control practices			
		3. Incident reports related to infection control			
		4. Staff health report on cases related to infection control			



	CRITERIA FOR COMPLIANCE:		SELF RATING	SURVEYOR FINDINGS	
				AREAS FOR IMPROVEMENT / RECOMMENDATIONS & RISK ASSESSMENT	SURVEYOR RATING
	5. National and local antibiotic guidelines				
	Facility Comments:				
12B.3.4.5	All anaesthetic procedures shall comply with standard infection control guidelines to prevent cross infection between patients. Breathing apparatus shall not be shared and disposable items shall not be reused.				
	EVIDENCE OF COMPLIANCE	1. Guidelines on infection control policy in the operating theatre are available and adhered to.			
		2. Reusable anaesthetic items and equipment are sterilised according to infection control guidelines.			
		3. Single use anaesthetic items are disposed after each use.			
	Facility Comments:				
12B.3.4.6	The Person In Charge (PIC) and designated nurse in-charge of infection control shall take necessary measures to ensure that:				
	a) proposed demolition, building constructions and renovations are designed in line with accepted infection control requirements;				
	b) proposed new equipment intended for patient care conforms to accepted infection control standards.				
	EVIDENCE OF COMPLIANCE	1. Records on input PIC and nurse in-charge of infection control for (a) and (b) where applicable.			
	Facility Comments:				
12B.3.4.7	The Person In Charge (PIC) and designated nurse in-charge of infection control reviews reports on healthcare associated infections rates, surveillance studies of infections and infection potentials, and the implementation of infection control policies. Pertinent findings shall be submitted to the appropriate source for necessary action.				

	CRITERIA FOR COMPLIANCE:			SELF RATING	SURVEYOR FINDINGS	
					AREAS FOR IMPROVEMENT / RECOMMENDATIONS & RISK ASSESSMENT	SURVEYOR RATING
	EVIDENCE OF COMPLIANCE	1. Minutes of Infection Control Committee meeting				
		2. Reports on:-				
		a) healthcare associated infection rates;				
		b) surveillance data on infections and infection potentials;				
		c) implementation of infection control policies.				
		3. Records on pertinent findings submitted to the appropriate source for necessary action to be taken.				
	Facility Comments:					

SURVEY ITEM & SELF-ASSESSMENT	
<b>STANDARD</b> <b>12B.3.5</b>	<b>PHARMACY SERVICES</b> <i>The Pharmacy Services shall be organised and administered to provide efficient pharmaceutical care services including the purchase, distribution, and control of pharmaceutical products; and to disseminate appropriate drug information to the healthcare team and patients of the Facility in accordance with prevailing standards of pharmacy practice.</i>

	CRITERIA FOR COMPLIANCE:	SELF RATING	SURVEYOR FINDINGS		
			AREAS FOR IMPROVEMENT / RECOMMENDATIONS & RISK ASSESSMENT	SURVEYOR RATING	
12B.3.5.1	There are policies and procedures on ordering and administering of medicines which include: a) incorporation of patient medication orders into the patient's medical record; b) recording in the patient's medical record for every dose of medicine administered; c) keeping accurate and accessible records on medicines supplied and administered to inpatients and outpatients; d) administering of medicines brought into the Facility/ Centre by patients; e) administering of medicines by patients, where appropriate; f) access to patients' medical records, where appropriate; g) abbreviations where used are in accordance with an approved list and this list is endorsed by the Person In Charge (PIC); h) reconstitution, storage, transportation and administration of cytotoxic drugs (where applicable).				
	EVIDENCE OF COMPLIANCE	1. Policies and procedures on ordering and administering of medicines include (a) to (i).			
		2. Prescription patterns			
		3. Medication administration			
		4. Patient medication record			
		5. Records on order, worksheet, preparation, supply and transportation of cytotoxic drug.			
		6. Drug reconciliation policy			
	Facility Comments:				

	CRITERIA FOR COMPLIANCE:	SELF RATING	SURVEYOR FINDINGS	
			AREAS FOR IMPROVEMENT / RECOMMENDATIONS & RISK ASSESSMENT	SURVEYOR RATING
12B.3.5.2	There are documented policies and procedures on prescribing medication that state:			
	a) medicines can only be dispensed by qualified pharmacy personnel based on written order from the medical practitioner;			
	b) electronic prescribing, using an open or closed network if practiced, conform to established conventions with regards to the identity of the prescriber and patient;			
	c) drugs dispensed and administered are based on the original of the medical practitioner's order. Drug orders are not transcribed.			
	EVIDENCE OF COMPLIANCE			
	1. Policies and procedures include (a) to (c) are available.			
12B.3.5.3	2. Security access is established for electronic prescribing.			
	3. Records on original prescription.			
	4. Updated sample of doctors' signature for manual prescribing.			
	Facility Comments:			
12B.3.5.3	There is adverse drug reaction reporting system in place. Policies and procedures for Adverse Drug Reaction (ADR) Reporting shall include the method of detection, a mechanism for reporting to the medical practitioner, the pharmacist, the Adverse Drug Reaction Advisory Committee/appropriate internal committee (where applicable).			
	EVIDENCE OF COMPLIANCE			
	1. Appropriate committee to discuss the ADR incidents.			
	2. Policies and procedures are in place for ADR reporting			
	3. Sample of ADR reports and dissemination of findings			
	Facility Comments:			

	CRITERIA FOR COMPLIANCE:			SELF RATING	SURVEYOR FINDINGS	
					AREAS FOR IMPROVEMENT / RECOMMENDATIONS & RISK ASSESSMENT	SURVEYOR RATING
12B.3.5.4	There is a system for reporting of medication errors, identifying the root cause and corrective action taken to prevent similar errors.					
	EVIDENCE OF COMPLIANCE	1. Standard operating procedures for reporting of medication error				
		2. Sample of medication error report				
		3. Evidence of corrective action taken and dissemination of findings.				
	Facility Comments:					

SURVEY ITEM & SELF-ASSESSMENT						
TOPIC 12B.4:		FACILITIES AND EQUIPMENT				
STANDARD 12B.4.1		There are adequate physical facilities and equipment for safe and efficient functioning of the Ophthalmology Ambulatory Care Services. The services may operate from a purpose-built facility with designated rooms such as ophthalmology clinics (including facility providing diagnostic services), day care wards, operating theatre (with Anaesthetic Services and without Anaesthetic Services) and Central Sterilising Supply Services.				
	CRITERIA FOR COMPLIANCE:		SELF RATING	SURVEYOR FINDINGS		
				AREAS FOR IMPROVEMENT / RECOMMENDATIONS & RISK ASSESSMENT	SURVEYOR RATING	
12B.4.1.1	There are adequate and appropriate facilities and equipment with proper utilisation of space to enable staff to carry out their professional, teaching and administrative functions.					
	EVIDENCE OF COMPLIANCE	1. Facilities for Ophthalmology Ambulatory Care Services include the following:				
		a) adequate working space with suitable lighting;				
		b) storage space for equipment, surgical supplies, linen, housekeeping equipment, and pharmaceutical supplies, including the storage of dangerous and psychotropic drugs;				
		c) easy access;				
		d) facilities for disabled persons;				
		e) vehicle access to facilitate the safe admission and discharge of patients;				
		f) adequate provision for emergency power and uninterrupted power supply (UPS) where indicated.				
		g) adequate facilities and equipment at each patient care area for safe care. (e.g. defibrillators, emergency cart, hand washing facilities etc)				
	Facility Comments:					
12B.4.1.2	Existing facilities shall take cognisance of the safety of staff and patients.					

	CRITERIA FOR COMPLIANCE:			SELF RATING	SURVEYOR FINDINGS	
					AREAS FOR IMPROVEMENT / RECOMMENDATIONS & RISK ASSESSMENT	SURVEYOR RATING
	EVIDENCE OF COMPLIANCE	1. Design and layout of the Ophthalmology Ambulatory Care Services, e.g. wards, treatment rooms, dirty and clean utility rooms, access, lighting, signage, etc address the safety aspects of patients and staff.				
		2. At least a short-stay drop off and pick up point immediately adjacent to the unit and ward.				
		3. Adequate equipment and supplies for Ophthalmology Ambulatory Care Services, e.g. emergency trolley, functioning patient call bell, etc.				
		4. Equipment should have scheduled planned preventive maintenance (PPM).				
	Facility Comments:					
12B.4.1.3	Suitable and adequate forms of communication and intercommunication systems and equipment are provided to enable clinical staff to communicate among themselves and with the other members of the healthcare team.					
	EVIDENCE OF COMPLIANCE	1. Appropriate telecommunication modalities available for daily operation and during emergencies.				
	Facility Comments:					
12B.4.1.4	There is documented evidence that equipment and instruments complies with relevant national/international standards and current statutory requirements. All biomedical equipment shall comply with Medical Device Act 2012.					
	EVIDENCE OF COMPLIANCE	1. Testing, commissioning and calibration records (certificates or stickers)				
		2. Certification of equipment and instruments from certified bodies, e.g. Standards and Industrial Research Institute of Malaysia (SIRIM), etc as evidence of compliance to the relevant standards and Acts.				

	CRITERIA FOR COMPLIANCE:			SELF RATING	SURVEYOR FINDINGS	
					AREAS FOR IMPROVEMENT / RECOMMENDATIONS & RISK ASSESSMENT	SURVEYOR RATING
	3. Medical device registration certificate from Medical Device Authority.					
	Facility Comments:					
12B.4.1.5 CORE	There is evidence that the facility has a comprehensive maintenance programme such as predictive maintenance, planned preventive maintenance and calibration activities, to ensure the facilities and equipment are in good working order.					
	EVIDENCE OF COMPLIANCE	1. Planned Preventive Maintenance records such as schedule, stickers, etc.				
		2. Planned Replacement Programme where applicable				
		3. Complaint records				
		4. Asset inventory				
	Facility Comments:					
12B.4.1.6	Emergency biomedical equipment is thoroughly tested as a routine, e.g. defibrillators are discharged and output checked every day or after each use, and the results recorded.					
	EVIDENCE OF COMPLIANCE	1. Records on regular inspection and checking biomedical equipment (electrocardiogram strips for defibrillator)				
		2. Policy and schedule on checking biomedical equipment				
	Facility Comments:					
12B.4.1.7	Where specialised equipment (e.g. optical radiation devices, etc) is used, there is evidence that only staff who are trained and authorised by the Facility operate such equipment.					
	EVIDENCE OF COMPLIANCE	1. User training records				
		2. Competency assessment record				
		3. Letter of authorisation				
		4. List of staff trained and competent to operate specialised equipment				



	CRITERIA FOR COMPLIANCE:		SELF RATING	SURVEYOR FINDINGS	
				AREAS FOR IMPROVEMENT / RECOMMENDATIONS & RISK ASSESSMENT	SURVEYOR RATING
	Facility Comments:				
12B.4.1.8	Equipment is upgraded (based on evidence) from time to time to keep pace with advancement in operative and diagnostic techniques and technology.				
	EVIDENCE OF COMPLIANCE	1. Equipment are being replaced and upgraded to meet current standard of care and advancement in technology in a planned and systematic manner.			
	Facility Comments:				

SURVEY ITEM & SELF-ASSESSMENT					
STANDARD 12B.4.2		FACILITIES FOR OUTPATIENT SERVICES There are adequate outpatient clinics to enable the provision of safe and effective patient care; and patient privacy and confidentiality are assured.			
	CRITERIA FOR COMPLIANCE:		SELF RATING	SURVEYOR FINDINGS	
				AREAS FOR IMPROVEMENT / RECOMMENDATIONS & RISK ASSESSMENT	SURVEYOR RATING
12B.4.2.1	<p>The Ophthalmology Outpatient Services shall have the following features:</p> <p>a) the organisation and management of the clinics are planned so as to ensure prompt attention to patients, minimal waiting time, and avoidance of unnecessary visits by the patients;</p> <p>b) record keeping shall be efficient;</p> <p>c) an appointment or queuing system is used to manage patient consultations;</p> <p>d) the clinic is easily accessible including for non-ambulant patients and is easily identified through adequate signage;</p> <p>e) adequate provision is made for patient comfort.</p>				
	EVIDENCE OF COMPLIANCE	1. The Ophthalmology Outpatient Services address (a) to (f) with evidence of but not limited to the following:			
		a) list of services available and offered to patients;			
		b) flow chart on work process;			
		c) safe keeping of medical records;			
		d) security of data in Health Information System;			
		e) clinic appointment system;			
		f) monitoring of waiting time;			
		g) adequate and appropriate signage;			
		h) floor plan indicates accessibility to supporting services and optimisation of space;			
		i) adequate patient personal use items, e.g. wheelchair, etc.			
		j) adequate waiting area, rest rooms, refreshments, reading material and parking space.			
	Facility Comments:				

	CRITERIA FOR COMPLIANCE:	SELF RATING	SURVEYOR FINDINGS		
			AREAS FOR IMPROVEMENT / RECOMMENDATIONS & RISK ASSESSMENT	SURVEYOR RATING	
12B.4.2.2	Adequate numbers of rooms are provided to ensure patient privacy and confidentiality for various patient care activities including:  a) consultation (not more than one patient in a room at any time); b) conduct of minor procedures and nursing procedures; maintain a register of procedures performed; c) performance of various tests.				
	EVIDENCE OF COMPLIANCE	1. Adequate facilities for consultation and patient care activities that address (a) to (c) with evidence of but not limited to the following:			
		a) privacy of patient is ensured;			
		b) procedure room is appropriately equipped;			
		c) patient monitoring device is available where required;			
		d) list of procedures done.			
	Facility Comments:				
12B.4.2.3	When an optometrist is present, examination room shall be set up according to standards to enable precise measurement.				
	EVIDENCE OF COMPLIANCE	1. List of Standard and Alternative Facilities in the Optometry Standard Operating Procedures is to be used as reference in setting up of Optometry examination room.			
		2. Observation on-site during survey			
	Facility Comments:				

SURVEY ITEM & SELF-ASSESSMENT	
<b>TOPIC 12B.4:</b>	<b><u>FACILITIES AND EQUIPMENT FOR DAY CARE WARD</u></b>
<b>STANDARD 12B.4.3</b>	<b><i>Adequate facilities and equipment shall be available to provide safe and effective patient care in the day care ward.</i></b>

	CRITERIA FOR COMPLIANCE:			SELF RATING	SURVEYOR FINDINGS				
					AREAS FOR IMPROVEMENT / RECOMMENDATIONS & RISK ASSESSMENT	SURVEYOR RATING			
12B.4.3.1	Facilities are suitably located to facilitate easy access and to provide an atmosphere of user, environmental and 'disabled' friendly.								
	EVIDENCE OF COMPLIANCE	1. Floor plan indicates accessibility and patient and user friendly.							
		2. Feedback from patient experience							
		3. Incident reporting relating to facilities if any							
	Facility Comments:								
12B.4.3.2	Equipment, both for emergency and non-emergency usage, shall be appropriate to the level of care.								
	EVIDENCE OF COMPLIANCE	1. Availability of emergency and non-emergency equipment appropriate to level of care, such as defibrillator, emergency trolley, suction machine, electrocardiogram (ECG) machine, infusion or syringe pump, vital signs monitor, functioning patient call bell, etc.							
		2. Proper cleaning / washing facilities for equipment							
		3. Proper disinfection, sterilisation and storage facilities for instruments.							
		4. Adequate medical gas and suction supplies							
		5. Fire extinguishers at relevant areas							
		6. Scheduled checking of items in emergency trolley							
	Facility Comments:								

	CRITERIA FOR COMPLIANCE:	SELF RATING	SURVEYOR FINDINGS			
			AREAS FOR IMPROVEMENT / RECOMMENDATIONS & RISK ASSESSMENT	SURVEYOR RATING		
12B.4.3.3	The day care ward of Ophthalmology Ambulatory Care Services shall comply with all safety features in accordance with regulatory requirements which include:  a) electrical equipment complies with relevant electrical standards on the safe use of electricity in patient care; b) staff are aware of the appropriate procedures in the safe use and application of electromedical equipment; c) regular maintenance and monitoring of facilities and equipment, and a system to respond to breakdown repair and replacement; d) emergency biomedical equipment, e.g. defibrillator is checked at least once a day or after each use and the result is recorded;					
	EVIDENCE OF COMPLIANCE	1. Certification or label of safety standards for equipment as required by law.				
		2. Awareness training of staff on use of and application of electromedical equipment.				
		3. Planned Preventive Maintenance (PPM), calibration and repair records				
		4. Defibrillator calibration testing record				
	Facility Comments:					

SURVEY ITEM & SELF-ASSESSMENT				
<b>STANDARD</b> <b>12B.4.4</b>	<b><u>Operating Theatre for Ophthalmology Ambulatory Care Services</u></b> <i>There are adequate and appropriate physical facilities and equipment for the safe and efficient functioning of the operating theatre (OT) facilities. Day care anaesthesia services shall be provided in an integrated set up using the dedicated operating theatres when applicable.</i>			
	CRITERIA FOR COMPLIANCE:	SELF RATING	SURVEYOR FINDINGS	
			AREAS FOR IMPROVEMENT / RECOMMENDATIONS & RISK ASSESSMENT	SURVEYOR RATING
12B.4.4.1	<p>The design of the operating suite provides adequate space for the reception, anaesthesia induction, surgery, post-surgical recovery and observation of patients. This shall include not limited to:</p> <ul style="list-style-type: none"> <li>a) suitable areas for reception and for patients awaiting surgery;</li> <li>b) operating theatres;</li> <li>c) recovery area;</li> <li>d) adequate storage space for equipment, surgical supplies, linen, housekeeping equipment, and pharmaceutical supplies, including dangerous and psychotropic drugs;</li> <li>e) areas for administrative office, and where required, teaching facilities;</li> <li>f) areas for the collection and disposal of used equipment and waste;</li> <li>g) male and female staff change rooms;</li> <li>h) staff facilities, e.g. tea room, locker area;</li> <li>i) there is plan for providing improved staff facilities when the Facility undergoes refurbishment or redevelopment if any of the above are deemed inadequate.</li> </ul>			
EVIDENCE OF COMPLIANCE	1. The design and layout of the operating suite provide adequate space and includes features as listed in (a) to (i).			
	2. Adequate recovery bay is available for post-operative cases.			
	Facility Comments:			

	CRITERIA FOR COMPLIANCE:	SELF RATING	SURVEYOR FINDINGS	
			AREAS FOR IMPROVEMENT / RECOMMENDATIONS & RISK ASSESSMENT	SURVEYOR RATING
12B.4.4.2	<p>The design of the operating theatre supports efficient systems for the management of perioperative services which include:</p> <ul style="list-style-type: none"> <li>a) operating rooms are treated as “clean” rooms with yearly performance test undertaken to ensure “clean” room status is maintained;</li> <li>b) ventilation system should provide positive pressure from the cleanest areas to less clean area;</li> <li>c) definitive traffic flow patterns and demarcation of sterile and non-sterile zones which enable enforcement of sterility discipline;</li> <li>d) ready access for routing emergency patients;</li> <li>e) fire detection, alarm, and suppression systems; firefighting equipment and appropriate sign posting;</li> <li>f) adequate means of egress from the operating suite in the event of fire;</li> <li>g) free movement of patient trolleys/wheelchairs throughout the suite with a minimum of cross traffic;</li> <li>h) reception of the patient in close proximity to the junction of sterile and non-sterile zones (air-lock zone);</li> <li>i) uninterrupted power supply (UPS) system in operating theatres shall be provided with an alarm system at the reception counter which will be triggered when the system is not charged;</li> <li>j) the medical gas system in the operating theatres shall be monitored to ensure that it is functioning;</li> <li>k) the quantity of medical gas terminal units be sufficient as required under national and international standards;</li> <li>l) colour coding for electrical outlets shall be according to international standards.</li> </ul>			

	CRITERIA FOR COMPLIANCE:			SELF RATING	SURVEYOR FINDINGS	
					AREAS FOR IMPROVEMENT / RECOMMENDATIONS & RISK ASSESSMENT	SURVEYOR RATING
	EVIDENCE OF COMPLIANCE	1. The design and layout of the operating theatre provide adequate space and includes features as listed in (a) to (l)				
		2. Internal air quality report (IAQ),				
		3. Temperature (18°C-22°C) and humidity (50%-60%) are monitored.				
		4. Air change per hour (at least 20 air changes per hour)				
		5. Fire escape plan clearly posted.				
		6. Verification of the appropriateness of the design of the operating suite by on-site inspection.				
		7. Log book on medical gas monitoring				
	Facility Comments:					
12B.4.4.3	The requirements for other systems to support perioperative services include:  a) adequate numbers of general power outlets distributed according to needs of each area;  b) adequate provision for emergency power outlets for lighting and suction of an appropriate nature complying with current Malaysian Standards;  c) suitable lighting;  d) adequate medical gas and suction supplies complying with current Malaysian Standards;  e) a means of environmental control of temperature and humidity within safe limits for anaesthetised patients undergoing surgery/procedures.  <b>Note:</b> Environmental control shall ensure that air quality complies with relevant standards for various treatment or functional areas in respect of temperature, relative humidity and particle count.					



	CRITERIA FOR COMPLIANCE:			SELF RATING	SURVEYOR FINDINGS	
					AREAS FOR IMPROVEMENT / RECOMMENDATIONS & RISK ASSESSMENT	SURVEYOR RATING
	EVIDENCE OF COMPLIANCE	1. Verification of other support systems in the operating suite includes items listed (a) to (e).				
		2. Evidence of minimum of two suction ports (one for anaesthesia and one for surgeon) per operating room. (If inadequate, then there must be portable suction devices for operating theatre needs)				
		3. Temperature maintained at 18°C - 22°C and relative humidity 50% - 60%.				
	Facility Comments:					
12B.4.4.4	The operating theatre shall comply with all safety features in accordance with regulatory requirements which include:					
	a) scavenging of anesthetic gases and vapors where general anaesthesia is provided;					
	b) regular maintenance and monitoring of facilities and equipment, and a system to respond immediately to breakdown, repair, and replacement;					
	c) electrical equipment which comply with Malaysian Standards;					
	d) appropriate personal protective equipment are provided in the presence of biohazards or laser procedures.					
	EVIDENCE OF COMPLIANCE	1. The operating theatre complies with all safety features in accordance to regulatory requirements as addressed in (a) to (d).				
		2. Verification of the above through on-site inspection.				
3. Warning signs is placed outside the operating theatre if laser is in use.						
Facility Comments:						

	CRITERIA FOR COMPLIANCE:	SELF RATING	SURVEYOR FINDINGS		
			AREAS FOR IMPROVEMENT / RECOMMENDATIONS & RISK ASSESSMENT	SURVEYOR RATING	
12B.4.4.5 CORE	The requirements for equipment used in the operating theatre shall include the following: a) a range of basic and specialised ophthalmology equipment in quantities sufficient to support the ophthalmology programme; b) where loan equipment is required, the loan equipment shall be delivered at least 48 hours to the Facility for appropriate decontamination/disinfection/sterilisation to be done before use; c) where general anaesthesia is provided, minimum standards for monitoring in anaesthesia as defined by the Malaysian Society of Anesthesiologists or the College of Anaesthesiologists of the Academy of Medicine of Malaysia (current edition); d) emergency and resuscitation equipment and supplies; with clearly defined instructions on how to operate the equipment and there is evidence that staff are trained to use the equipment.				
	EVIDENCE OF COMPLIANCE	1. The requirements for equipment used in the Operating Suite Services shall include items (a) to (d).			
		2. Verification of above through on-site inspection			
		3. Policy on handling and maintenance of loan equipment			
		4. Resuscitation drugs and equipment are in accordance to "Recommendations for Patient Safety and Minimal Monitoring Standards during Anaesthesia and Recovery" (Current Edition).			
		5. Presence of difficult intubation trolley, complete with airway devices and algorithm for CICV (can't intubate, can't ventilate) scenario where applicable.			
		6. Protocol for management of malignant hyperthermia (MH) and local anaesthetic toxicity, including statement on accessibility of drugs to treat these specific conditions are available where applicable.			
	Facility Comments:				
12B.4.4.6	Where general anaesthesia is provided, there shall be adequate space for patient recovery from anaesthesia with minimum 1 recovery bay to 1 operating room (current MOH Day Care Surgery SOP). The recovery room shall be appropriately staffed and				

	CRITERIA FOR COMPLIANCE:			SELF RATING	SURVEYOR FINDINGS				
					AREAS FOR IMPROVEMENT / RECOMMENDATIONS & RISK ASSESSMENT	SURVEYOR RATING			
	equipped for resuscitation and monitoring. The nurse to patient ratio shall be based on patient's conscious level i.e.1:1 for unconscious patient and 1:3 for conscious patients.								
	EVIDENCE OF COMPLIANCE	1. The patient recovery area is in the vicinity of the operating room and readily accessible to the anaesthetist.							
		2. Availability of resuscitation equipment in case of emergency.							
		3. Adequate number of nurses according to norms and suitably qualified and trained to assist in anaesthetic emergencies.							
	Facility Comments:								
12B.4.4.7	Anaesthetic delivery systems shall be kept in good condition with regular maintenance and there is a system to respond immediately to breakdown repair.								
	EVIDENCE OF COMPLIANCE	1. Documented evidence of maintenance records on all equipment used in the delivery of anaesthesia							
		2. System on respond to breakdown repair							
	Facility Comments:								
12B.4.4.8 CORE	All patients who are anaesthetised shall have adequate monitoring as specified by the document "Safety Standards for Anaesthesia and Recovery" published by the Malaysian Society of Anaesthesiologists. The monitoring shall include the minimum of monitoring of electrocardiogram (ECG), blood pressure, pulse, respiration, oxygen saturation, capnometry and others as may be necessary.								
	EVIDENCE OF COMPLIANCE	1. Compliance to standard guidelines on monitoring of anaesthetised patients, i.e. "Safety Standards for Anaesthesia and Recovery".							
	Facility Comments:								

	CRITERIA FOR COMPLIANCE:		SELF RATING	SURVEYOR FINDINGS		
				AREAS FOR IMPROVEMENT / RECOMMENDATIONS & RISK ASSESSMENT	SURVEYOR RATING	
12B.4.4.9	Anaesthetic delivery systems shall have safety features to prevent accidental hypoxia or disconnection of breathing circuits during mechanical ventilation. These will include anti-hypoxic devices, alarms for oxygen pressure failure, and ventilator disconnect alarms.					
	EVIDENCE OF COMPLIANCE	1. Availability of general anaesthesia (GA) machines with the required safety features.				
	Facility Comments:					
12B.4.4.10	Anaesthetic waste gases and vapours shall be scavenged.					
	EVIDENCE OF COMPLIANCE	1. Evidence of functional Anaesthetic Gas Scavenging Systems				
	Facility Comments:					
12B.4.4.11	An emergency alert shall be available within the operating suite area to call for assistance in the event of a serious adverse event in any operating room.					
	EVIDENCE OF COMPLIANCE	1. Availability of emergency alert				
	Facility Comments:					

SURVEY ITEM & SELF-ASSESSMENT	
<b>STANDARD</b> <b>12B.4.5</b>	<b>Theatre Sterilising Supply Unit (TSSU)</b> <i>The TSSU in the Ophthalmology Ambulatory Care Services/Centre is appropriately designed, installed and operated with adequate facilities and equipment to the needs of the services to assure that reprocessed medical devices and other sterilised products achieve high assurance levels of sterility.</i>

	CRITERIA FOR COMPLIANCE:	SELF RATING	SURVEYOR FINDINGS	
			AREAS FOR IMPROVEMENT / RECOMMENDATIONS & RISK ASSESSMENT	SURVEYOR RATING
12B.4.5.1 <b>CORE</b>	<p>The design and set up of the Theatre Sterilising Supply Unit allows for:</p> <p>a) The TSSU to be equipped and arranged to provide proper separation of clean and dirty routes and processes with clear demarcation of the different zones. The airflow is from clean to soiled areas.</p> <p>b) Areas within TSSU shall be adequate to provide for:</p> <p>i) <u>Receiving of unsterile supplies</u></p> <ul style="list-style-type: none"> <li>Facilities for receiving, disassembling and cleaning of supplies and equipment shall be appropriately located avoiding non-sterile items passing through sterile areas of the TSSU.</li> </ul> <p>ii) <u>Assembling and Packaging</u></p> <ul style="list-style-type: none"> <li>Facilities for assembling, packaging supplies and equipment shall have hand hygiene facilities, work counter (a non-porous material work benches) or its equivalent as required by types and volume of items.</li> </ul> <p>iii) <u>Sterilisation</u></p> <ul style="list-style-type: none"> <li>Facilities for sterilising shall be located between packaging area and sterile storage area.</li> </ul> <p>iv) Adequate storage areas for sterile instruments and supplies, unsterilised linen, unsterile instruments, equipment and surgical supplies and chemical detergents and disinfectants.</p> <p>c) Hand washing facilities</p> <p>d) Staff changing room are readily available.</p>			

	CRITERIA FOR COMPLIANCE:		SELF RATING	SURVEYOR FINDINGS		
				AREAS FOR IMPROVEMENT / RECOMMENDATIONS & RISK ASSESSMENT	SURVEYOR RATING	
	e) Suitably planned layout of work benches and equipment.					
	EVIDENCE OF COMPLIANCE	1. The design and set up of the TSSU address all items (a) to (e) as per relevant regulations and as evidenced by:				
		a) demarcation with physical structure between the operating theatre and TSSU; there should be no crisscrossing of non-sterile and sterile items;				
		b) appropriate areas that facilitates the activities of sterilisation supply services;				
		c) compliance with Infection Control Policies and practices;				
		d) appropriate work benches at assembling and packaging area.				
	Facility Comments:					
12B.4.5.2	All sterilising systems (e.g. mechanical and chemical system) are maintained in accordance with statutory regulations.					
	EVIDENCE OF COMPLIANCE	1. Manual and log book of mechanical sterilising system				
		2. Planned preventive maintenance schedule and records				
	Facility Comments:					
12B.4.5.3 CORE	There are special automated equipment appropriate to the TSSU for the cleaning, drying, and sterilisation of surgical micro equipment, and they comply with acceptable standards.					
	EVIDENCE OF COMPLIANCE	1. Appropriate equipment to match complexity of the facility's services such as:				
		a) washer disinfectors;				
		b) ultrasonic washer;				
		c) dryer;				
		d) heat sealing equipment;				

	CRITERIA FOR COMPLIANCE:			SELF RATING	SURVEYOR FINDINGS	
					AREAS FOR IMPROVEMENT / RECOMMENDATIONS & RISK ASSESSMENT	SURVEYOR RATING
	e)	rapid biological test incubator.				
	Facility Comments:					
12B.4.5.4 CORE	Validation on sterilisation process using mechanical, chemical and biological tests are conducted and results monitored and recorded accordingly.					
	EVIDENCE OF COMPLIANCE	1. Performance of relevant tests and results:				
		a) mechanical test results records;				
		b) chemical test result records;				
		c) biological test result records				
		2. Records on deviations if any and corrective and preventive actions taken.				
		3. Relevant efficacy test records considering mechanical aspects, chemical aspects, temperature and time.				
	Facility Comments:					

SURVEY ITEM & SELF-ASSESSMENT						
<b>STANDARD</b> <b>12B.4.6</b>	<b>Linen Services</b> <i>The Linen Services include the supply and delivery of clean linen and the collection and off site washing of dirty and soiled linen.</i>  <i>For stand-alone Ophthalmology Ambulatory Care Services, the use of disposable surgical linen is advisable to ensure sterility. If reusable surgical linen is used, a monitoring system shall be in place which comply with Prevention and Control of Infection standards.</i>  <i>There is adequate supply of clean linen/disposable surgical linen and protective clothing in the Ophthalmology Ambulatory Care Services. They are properly handled and stored in such a way as to avoid re-absorption of moisture and contamination from surface contact or airborne.</i>					
	CRITERIA FOR COMPLIANCE:			SELF RATING	SURVEYOR FINDINGS	
					AREAS FOR IMPROVEMENT / RECOMMENDATIONS & RISK ASSESSMENT	SURVEYOR RATING
	12B.4.6.1	The patient shall be in clean linen throughout the procedure.				
EVIDENCE OF COMPLIANCE	1. Policy on linen supply					
	2. Patients have clean linen as evidenced on-site.					
	Facility Comments:					
12B.4.6.2	Soiled linen is collected in such a manner as to avoid microbial dissemination and it is placed in segregated bags or containers at the site of collection.					
EVIDENCE OF COMPLIANCE	1. Policy on management of soiled linen.					
	2. Soiled linen is collected in dedicated colour coded linen bag as observed on inspection.					
	3. Adequate supply of alginate bag for contaminated linen					
Facility Comments:						
12B.4.6.3	Soiled linen from infectious patients is clearly identified; staff shall take appropriate precautions in handling and processing this type of linen.					



	CRITERIA FOR COMPLIANCE:			SELF RATING	SURVEYOR FINDINGS	
					AREAS FOR IMPROVEMENT / RECOMMENDATIONS & RISK ASSESSMENT	SURVEYOR RATING
	EVIDENCE OF COMPLIANCE	1. Policy on handling contaminated linen				
		2. Use of colour coded linen bag for different types of linen				
		3. Use of alginate bag for contaminated linen as evidenced on site				
	Facility Comments:					
12B.4.6.4	Written procedures are in accordance with acceptable standards for handling and processing linen and shall cover the following:  a) processing techniques including handling and collecting of dirty linen and transporting prior to washing;  b) physical appearance and condition of linen.					
	EVIDENCE OF COMPLIANCE	1. Policies and Procedures on Linen Services that address but not limited to items (a) to (b) are available.				
		Facility Comments:				
12B.4.6.6	Clean linen is transported and stored separately from soiled linen.					
	EVIDENCE OF COMPLIANCE	1. Policy on transporting and storing of clean linen				
		2. Schedule on cleaning containers used for transporting clean linen.				
		3. Records on cleaning containers used for transporting clean linen.				
		4. Dedicated clean linen storage area.				
	Facility Comments:					

SURVEY ITEM & SELF-ASSESSMENT						
<b>TOPIC 12B.5:</b>		<b><u>SAFETY AND PERFORMANCE IMPROVEMENT ACTIVITIES</u></b>				
<b>STANDARD 12B.5.1</b>		<i>The Head of Ophthalmology Ambulatory Care Services/Centre shall ensure the provision of quality performance with staff involvement in the continuous safety and performance improvement activities of the Ambulatory Care Services/Centre. The Head of Ophthalmology Ambulatory Care Services shall ensure compliance to monitoring of specific performance indicators.</i>				
	<b>CRITERIA FOR COMPLIANCE:</b>		<b>SELF RATING</b>	<b>SURVEYOR FINDINGS</b>		
				<b>AREAS FOR IMPROVEMENT / RECOMMENDATIONS &amp; RISK ASSESSMENT</b>	<b>SURVEYOR RATING</b>	
12B.5.1.1	The Head of the Ophthalmology Ambulatory Care Services/Centre shall ensure the provision of high quality performance through ongoing patient safety, quality improvement and risk management programmes of the Facility.					
	EVIDENCE OF COMPLIANCE	1. Plans for patient safety, quality improvement and risk management.				
	Facility Comments:					
12B.5.1.2	There are planned and systematic safety and performance improvement activities to monitor and evaluate the performance of the Ophthalmology Ambulatory Care Services. The process includes: a) Planned activities b) Data collection c) Monitoring and evaluation of the performance d) Action plan for improvement e) Implementation of action plan f) Re-evaluation for improvement Innovation is advocated.					
	EVIDENCE OF COMPLIANCE	1. Planned performance improvement activities include (a) to (f)				
		2. Records on performance improvement activities				
		3. Minutes of performance improvement meetings				
		4. Performance improvement studies				

	CRITERIA FOR COMPLIANCE:			SELF RATING	SURVEYOR FINDINGS	
					AREAS FOR IMPROVEMENT / RECOMMENDATIONS & RISK ASSESSMENT	SURVEYOR RATING
		5. Mortality and morbidity audits with remedial actions				
		6. Records on innovation if available.				
	Facility Comments:					
12B.5.1.3	The Head of Ophthalmology Ambulatory Care Services/Centre has assigned the responsibilities for planning, monitoring and managing safety and performance improvement activities to appropriate individual/personnel within the respective services.					
	EVIDENCE OF COMPLIANCE	1. Minutes of meetings				
		2. Letter of assignment of responsibilities				
		3. Job description				
	Facility Comments:					
12B.5.1.4	The Head of the Ophthalmology Ambulatory Care Services/Centre shall ensure that the staff are trained and complete incident reports which are promptly reported, investigated, discussed by the staff with learning objectives and forwarded to the Person In Charge (PIC) of the Facility.					
	Incidents reported have had Root Cause Analysis done and action taken within the agreed time frame to prevent recurrence.					
	EVIDENCE OF COMPLIANCE	1. System for incident reporting is in place, which include:				
		a) Training of staff				
		b) Policy on incident reporting				
		c) Methodology of incident reporting				
		d) Register/records of incidents				
		2. Completed incident reports				
		3. Root Cause Analysis				
		4. Corrective and preventive action plans				
		5. Remedial measure				

	CRITERIA FOR COMPLIANCE:			SELF RATING	SURVEYOR FINDINGS	
					AREAS FOR IMPROVEMENT / RECOMMENDATIONS & RISK ASSESSMENT	SURVEYOR RATING
		6. Minutes of meetings				
		7. Acknowledgment by Head of Service and PIC/Hospital Director				
		8. Feedback given to staff regarding incident reporting.				
	Facility Comments:					
12B.5.1.5 CORE	The Ophthalmologist Ambulatory Care Services/Centre shall address Patient Safety Goals to prevent potential errors from occurring.  <b><u>World Health Organization (WHO) Global Patient Safety Challenges</u></b> 1. Identify patient correctly 2. Improve effective communication 3. Improve the safety of high-alert medications 4. Ensure correct-site, correct-procedure, correct-patient surgery 5. Reduce the risk of healthcare associated infections 6. Reduce the risk of patient harm resulting from fall  <b><u>World Health Organization (WHO) Patient Safety Solutions</u></b> 1. Look-Alike, Sound-Alike Medication Names 2. Patient Identification 3. Communication During Patient Hand-Overs 4. Performance of Correct Procedure at Correct Body Site 5. Single Use of Injection Devices 6. Improved Hand Hygiene to Prevent Healthcare Associated Infections  <b><u>Malaysian Patient Safety Goals</u></b> 1. To implement Clinical Governance 2. To implement the WHO's 1st Global Patient Safety Challenge: "Clean Care is Safer Care" 3. To implement the WHO's 2nd Global Patient Safety Challenge: "Safe Surgery Saves Lives" 4. To improve the accuracy of patient identification 5. To ensure medication safety 6. To improve clinical communication by implementing critical value programme 7. To reduce patient fall 8. To implement an Incident Reporting and Learning System					

	CRITERIA FOR COMPLIANCE:			SELF RATING	SURVEYOR FINDINGS	
					AREAS FOR IMPROVEMENT / RECOMMENDATIONS & RISK ASSESSMENT	SURVEYOR RATING
	EVIDENCE OF COMPLIANCE	1. Report on implementation of WHO Global Patient Safety Challenges & Patient Safety Solutions and Malaysian Patient Safety Goals.				
	Facility Comments:					
12B.5.1.5 CORE	There is tracking and trending of specific performance indicators of the following:					
	a) Percentage infectious endophthalmitis following cataract surgery (Target: $\leq 0.2\%$ , 2 cases per 1000 operations)					
	b) Percentage of patients with post-operative visual acuity of 6/12 or better within 3 months following cataract surgery and refractive procedure in patients without ocular co-morbidity (Target: $>85\%$ )					
	EVIDENCE OF COMPLIANCE	1. Specific performance indicators monitored.				
		2. Records on tracking and trending analysis.				
		3. Remedial measures taken where appropriate.				
	Facility Comments:					
12B.5.1.6	Feedback on results of safety and performance improvement activities are regularly communicated to the staff.					
	EVIDENCE OF COMPLIANCE	1. Results on safety and performance improvement activities are accessible to staff.				
		2. Evidence of feedback via communication on results of performance improvement activities through continuing medical education/meetings.				
		3. Minutes of service/unit/committee meetings				
	Facility Comments:					

	CRITERIA FOR COMPLIANCE:		SELF RATING	SURVEYOR FINDINGS		
				AREAS FOR IMPROVEMENT / RECOMMENDATIONS & RISK ASSESSMENT	SURVEYOR RATING	
12B.5.1.7	Appropriate documentation of safety and performance improvement activities is kept and confidentiality of medical practitioners, staff and patients is preserved.					
	EVIDENCE OF COMPLIANCE	1. Documentation on performance improvement activities and performance indicators.				
		2. Policy statement on anonymity on patients and providers involved in performance improvement activities.				
	Facility Comments:					

SURVEY ITEM & SELF-ASSESSMENT	
<b>TOPIC 12B.6</b>	<b><u>SPECIAL REQUIREMENTS</u></b>
<b><u>STANDARD 12B.6.1</u></b>	<b><u>Waste Management</u></b> <b><i>The disposal of domestic, clinical and recycled wastes is carried out in accordance with legislation requirements of the Department of Environment and local authority.</i></b>

	CRITERIA FOR COMPLIANCE:	SELF RATING	SURVEYOR FINDINGS	
			AREAS FOR IMPROVEMENT / RECOMMENDATIONS & RISK ASSESSMENT	SURVEYOR RATING
12B.6.6.1	<u>Waste management</u> a) Waste disposal shall be in accordance with national and local regulations. Waste generated by the sterilising supply services shall be placed in appropriate containers/bags. b) All contaminated waste such as: i) soiled surgical dressings, e.g. cotton wool, gloves, swabs; ii) human tissue shall be discarded into appropriate containers and disposed in accordance with the regulatory requirements. c) Used vials of biological indicators for monitoring of sterilisation shall be disposed in accordance with the regulatory requirements. d) Appropriate size of sharps containers shall be provided for disposal of condemned needles, used single needles and syringes, blades and other disposable sharp items. The collection container must be puncture resistant and leak tight. This category of waste has to be disposed/destroyed completely as to prevent potential risk of injury/infection. e) All clinical waste should be removed from the operating theatre and sterilising supply services via a designated disposal exit for incineration. f) Availability of hand washing facilities in storage area.			

	CRITERIA FOR COMPLIANCE:			SELF RATING	SURVEYOR FINDINGS	
					AREAS FOR IMPROVEMENT / RECOMMENDATIONS & RISK ASSESSMENT	SURVEYOR RATING
	EVIDENCE OF COMPLIANCE	1. Policy on segregation, collection and storage of waste				
		2. Planned schedule for waste disposal by facility/centre				
		3. Dedicated route				
		4. Record of waste collection				
		5. Contract for clinical waste disposal				
	Facility Comments:					
12B.6.6.2	Cytotoxic wastes shall be segregated at the point of origin, appropriately labelled during collection in compliance with the relevant regulations and guidelines, collected in approved colour-coded bags by appropriately trained staff, stored in designated storage facility with proper temperature controls, and with hand washing facility and wastewater drainage.					
	EVIDENCE OF COMPLIANCE	1. Cytotoxic wastes are properly labelled and not mixed with other wastes.				
		2. Appropriate storage facilities for cytotoxic wastes.				
		3. Spillage kits				
	Facility Comments:					
12B.6.6.3	Staff that handle chemicals and healthcare facility wastes need to be trained on proper handling and disposal of such wastes.					
	EVIDENCE OF COMPLIANCE	1. Records on staff training				
	Facility Comments:					
12B.6.6.4	Staff shall wear appropriate personal protective equipment when handling hazardous materials.					



	CRITERIA FOR COMPLIANCE:			SELF RATING	SURVEYOR FINDINGS	
					AREAS FOR IMPROVEMENT / RECOMMENDATIONS & RISK ASSESSMENT	SURVEYOR RATING
	EVIDENCE OF COMPLIANCE	1. Staff and contractors wear appropriate personal protective equipment.				
	Facility Comments:					
12B.6.6.5	Chemicals and healthcare wastes shall be appropriately stored as follows:					
	a) inflammable, acid/base chemicals shall be kept separately in metal cabinets;					
	b) the chemical and scheduled waste store shall be well ventilated and equipped with spillage containment;					
	c) the clinical waste store shall be refrigerated if the wastes are stored for more than 24 hours.					
	EVIDENCE OF COMPLIANCE	1. Proper storage of chemicals in appropriate and right size cabinets and/or rooms.				
		2. Clinical waste store is refrigerated at temperature 4°C - 6°C if the wastes are stored for more than 24 hours.				
	Facility Comments:					

SURVEY ITEM & SELF-ASSESSMENT						
<b>STANDARD</b> <b>12B.6.2</b>		<b><i>FIRE SAFETY</i></b> <b><i>The buildings of Ophthalmology Ambulatory Care Services shall be designed, constructed, equipped, operated and maintained in compliance with the relevant Acts, Statutory Regulations and Standards, ensuring safety to patients, visitors, staff and property from damages due to fire.</i></b>				
	<b>CRITERIA FOR COMPLIANCE:</b>		<b>SELF RATING</b>	<b>SURVEYOR FINDINGS</b>		
				<b>AREAS FOR IMPROVEMENT / RECOMMENDATIONS &amp; RISK ASSESSMENT</b>	<b>SURVEYOR RATING</b>	
12B.6.2.1	The building shall be equipped with active and passive fire protection system such as fire detection and suppression system, in compliance with statutory regulations, standards and professional best practices relating to fire safety. For buildings built after 1990, the fire detection systems shall be integrated and linked to the nearest fire station designated by the Fire Authority.  <i>Note: Refer to Fire Services Act 1988</i>					
	<b>EVIDENCE OF COMPLIANCE</b>	1. Building drawing approved by Fire Authority for buildings built after 1990.				
		2. Continuous Monitoring Information System (CMIS) is functional and linked to the fire station where applicable.				
Facility Comments:						
12B.6.2.2	There is documented evidence that all buildings have been inspected by the Fire Authority annually and all risk issues identified during the inspections have been rectified to the satisfaction of the Fire Authority concerned.  <i>Note: Refer to Fire Service Act 1988</i>					
	<b>EVIDENCE OF COMPLIANCE</b>	1. Annual fire inspection report by Fire Authority				
		2. Current Fire Safety Certificate is available for buildings built after 1990.				
		3. Facility's report on rectification of recommendations by Fire Authority where required.				
Facility Comments:						

	CRITERIA FOR COMPLIANCE:	SELF RATING	SURVEYOR FINDINGS	
			AREAS FOR IMPROVEMENT / RECOMMENDATIONS & RISK ASSESSMENT	SURVEYOR RATING
12B.6.2.3	Fire fighting equipment/system, such as fire extinguishers, hydrants, hose reels, fire blankets and fire suppression system are located at appropriate locations as per Fire Authority's requirements.			
	The systems are in proper functioning condition, and are being maintained and tested regularly, at least once every three (3) months or as required.			
	EVIDENCE OF COMPLIANCE			
	1. Fire extinguishers have valid inspection certificates.			
	2. Testing of fire extinguishers			
12B.6.2.4	3. Maintenance records			
	Facility Comments:			
12B.6.2.5	There are clear signages to indicate the location of fire fighting equipment and general instructions to use the equipment during emergency.			
	EVIDENCE OF COMPLIANCE			
	1. Signages indicating fire fighting equipment are clearly visible.			
	Facility Comments:			
12B.6.2.6	All doors, corridors, ramps, and emergency stairways along the designated fire escape routes shall be kept free of obstruction at all times.			
	EVIDENCE OF COMPLIANCE			
	1. Fire exit routes are unobstructed.			
	Facility Comments:			
12B.6.2.6	All fire escape routes and fire exit doors shall be identified with lighted "KELUAR" or "EXIT" sign as stipulated in the Fire Authority's regulations.			

	CRITERIA FOR COMPLIANCE:		SELF RATING	SURVEYOR FINDINGS	
				AREAS FOR IMPROVEMENT / RECOMMENDATIONS & RISK ASSESSMENT	SURVEYOR RATING
	EVIDENCE OF COMPLIANCE	1. KELUAR / EXIT signs are:			
		a) clearly visible;			
		b) functional;			
		c) adequate.			
	Facility Comments:				
12B.6.2.7	The evacuation route floor plans shall be displayed at the entrances of every department. The assembly areas have to be a secured open space at a safe distance away from the building. There is signage to direct evacuees to the assembly area in case the assembly areas could not be seen when evacuees exiting the building.				
	EVIDENCE OF COMPLIANCE	1. Current evacuation plans are available.			
		2. Clear signage to assembly areas			
	Facility Comments:				
12B.6.2.8	There are adequate "No Smoking" signs posted at all entrances to the Facility.				
	EVIDENCE OF COMPLIANCE	1. No Smoking" signs are:			
		a) visible;			
		b) adequate;			
		c) placed at all entrances to the Facility.			
	Facility Comments:				
12B.6.2.9	There is at least one designated Fire Safety Officer assigned by the Person In Charge. The Fire Safety Officer(s) shall have the relevant training to ensure that they can be responsible for fire safety at the Facility all times.				

	CRITERIA FOR COMPLIANCE:			SELF RATING	SURVEYOR FINDINGS	
					AREAS FOR IMPROVEMENT / RECOMMENDATIONS & RISK ASSESSMENT	SURVEYOR RATING
	EVIDENCE OF COMPLIANCE	1. Assignment letter				
		2. Training records				
		3. Minutes of fire safety meetings				
		Facility Comments:				
12B.6.2.10	There is documented evidence that fire drills have been planned for every year, and the drills are held; minimum once in the current year, involving different sections of the service and conducted under varied conditions. There are written reports and evaluations on all drills, and documentation of staff attendances.					
	EVIDENCE OF COMPLIANCE	1. Records and reports on annual fire drills				
		2. Staff attendance list				
	Facility Comments:					
12B.6.2.11	The general contingency plan for fire and evacuation shall be understood by all staff and in-house contractors and tenants. Key assigned personnel shall be trained in more advanced aspects of fire safety, including fire notification procedures, fire alarm, use of fire fighting equipment, fire evacuation procedures and evacuation of non-ambulant patients.					
	EVIDENCE OF COMPLIANCE	1. Staff awareness on fire and evacuation plan				
		2. Records on training of key assigned personnel and staff on specific aspects of fire safety				
	Facility Comments:					
SURVEY ITEM & SELF-ASSESSMENT						

STANDARD 12B.6.3	DISASTER MANAGEMENT														
	There shall be a disaster management system that supports safe practice and a safe environment:														
	CRITERIA FOR COMPLIANCE:	SELF RATING	SURVEYOR FINDINGS												
			AREAS FOR IMPROVEMENT / RECOMMENDATIONS & RISK ASSESSMENT	SURVEYOR RATING											
12B.6.3.1	<p>The Facility/Centre shall have documented internal disaster plan for all anticipated occurrence of incidences that would have adverse effect on patients, visitors and staff as follows, where applicable:</p> <p>a) Fire/Explosion b) Bomb threat c) Evacuation d) Physical Assault/Security Threat e) Facilities system failure f) Major chemical spillage/radiation leaks g) Medical Emergencies h) Emergencies in Operating Rooms i) Flood j) Disease outbreak</p> <table><tr><td rowspan="5">EVIDENCE OF COMPLIANCE</td><td>1. Internal Disaster Plan that include potential internal disasters (a) to (j)</td><td></td></tr><tr><td>2. List of relevant agencies and their contact numbers</td><td></td></tr><tr><td>3. Adequate resources as per disaster plan</td><td></td></tr><tr><td>4. Records on relevant staff training on the Internal Disaster Plan</td><td></td></tr><tr><td>5. Reports on the Internal Disaster Drill that carry out once a year.</td><td></td></tr></table> <p>Facility Comments:</p>	EVIDENCE OF COMPLIANCE	1. Internal Disaster Plan that include potential internal disasters (a) to (j)		2. List of relevant agencies and their contact numbers		3. Adequate resources as per disaster plan		4. Records on relevant staff training on the Internal Disaster Plan		5. Reports on the Internal Disaster Drill that carry out once a year.				
EVIDENCE OF COMPLIANCE	1. Internal Disaster Plan that include potential internal disasters (a) to (j)														
	2. List of relevant agencies and their contact numbers														
	3. Adequate resources as per disaster plan														
	4. Records on relevant staff training on the Internal Disaster Plan														
	5. Reports on the Internal Disaster Drill that carry out once a year.														
12B.6.3.2	<p>A code system normally using colour as identifier is used to identify the emergency status to avoid unnecessary panic if the code is announced via public address system.</p>														

	CRITERIA FOR COMPLIANCE:			SELF RATING	SURVEYOR FINDINGS	
					AREAS FOR IMPROVEMENT / RECOMMENDATIONS & RISK ASSESSMENT	SURVEYOR RATING
	EVIDENCE OF COMPLIANCE	1. Specified colour codes for internal disaster				
	Facility Comments:					

**SURVEYOR SUMMARY:**

**OVERALL RISK:**